

SDI Limited

Version No: 4.1.1.1 Safety Data Sheet (Conforms to Regulations (EC) No 2015/830) Issue Date: 29/01/2016 Print Date: 30/03/2016 Initial Date: Not Available L.REACH.GBR.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1.Product Identifier

Product name	Riva Self Cure (liquid)		
Synonyms Not Available			
Other means of identification	Not Available		

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Professional dental use: Dental liquid for making restorative cement, when mixed with the Riva Self Cure powder.
Uses advised against	Not Applicable

1.3. Details of the supplier of the safety data sheet

Registered company name	SDI Limited	SDI Brazil Industria E Comercio Ltda	SDI Germany GmbH	
Address	3-15 Brunsdon Street VIC Bayswater 3153 Australia	Rua Dr. Virgilio de Carvalho Pinto, 612 São Paulo CEP 05415-020 Brazil	Hansestrasse 85 Cologne D-51149 Germany	
Telephone	+61 3 8727 7111 (Business Hours)	+49 0 2203 9255 0		
Fax	+61 3 8727 7222 +55 11 3092 7101 +49 0 2203 9255 200			
Website	www.sdi.com.au	www.sdi.com.au	www.sdi.com.au	
Email	info@sdi.com.au	brasil@sdi.com.au	germany@sdi.com.au	
Registered company name SDI (North America) Inc.				
Address	1279 Hamilton Parkway IL Itasca 60143 United States			
Telephone	+1 630 361 9200 (Business hours)			
Fax	Not Available			
Website	Not Available			
Email	USA.Canada@sdi.com.au			

1.4. Emergency telephone number

Association / Organisation	SDI Limited	Not Available		
Emergency telephone numbers	+61 3 8727 7111 Not Available Not Available			
Other emergency telephone numbers	ray.cahill@sdi.com.au	Not Available	Not Available	
Association / Organisation	Not Available			
Emergency telephone numbers	+61 3 8727 7111			
Other emergency telephone numbers	Not Available			

SECTION 2 HAZARDS IDENTIFICATION

2.1.Classification of the substance or mixture

Considered a dangerous mixture according to directive 1999/45/EC, Reg. (EC) No 1272/2008 (if applicable) and their amendments. Not classified as Dangerous Goods for transport purposes.

DSD classification	In case of mixtures, classification has been prepared by following DPD (Directive 1999/45/EC) and CLP Regulation (EC) No 1272/2008 regulations				
DPD classification ^[1]	R36/37/38 Irritating to eyes, respiratory system and skin.				
Legend:	1. Classification by vendor; 2. Classification drawn from EC Directive 67/548/EEC - Annex I ; 3. Classification drawn from EC Directive 1272/2008 - Annex VI				

Classification according to regulation (EC) No 1272/2008 [CLP] ^[1]	Skin Corrosion/Irritation Category 2, Eye Irritation Category 2, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation)		
Legend:	1. Classification by vendor; 2. Classification drawn from EC Directive 67/548/EEC - Annex I ; 3. Classification drawn from EC Directive 1272/2008 - Annex VI		
2.2. Label elements			
CLP label elements			
SIGNAL WORD	WARNING		
Hazard statement(s)			
H315	Causes skin irritation.		
H319	Causes serious eye irritation.		
H335	May cause respiratory irritation.		

Supplementary statement(s)

Not Applicable

Precautionary statement(s) Prevention

P271 Use only outdoors or in a well-ventilated area.		
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.		
P280 Wear protective gloves/protective clothing/eye protection/face protection.		

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P312	all a POISON CENTER/doctor/physician/first aider/if you feel unwell.		
P337+P313	If eye irritation persists: Get medical advice/attention.		
P302+P352	F ON SKIN: Wash with plenty of water and soap.		
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
P332+P313	If skin irritation occurs: Get medical advice/attention.		
P362+P364	Take off contaminated clothing and wash it before reuse.		

Precautionary statement(s) Storage

P405	Store locked up.	
P403+P233 Store in a well-ventilated place. Keep container tightly closed.		

Precautionary statement(s) Disposal

P501	Dispose of contents/container in accordance with local regulations.
------	---

2.3. Other hazards

Ingestion may produce health damage*.

Cumulative effects may result following exposure*.

REACh - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

1.CAS No 2.EC No 3.Index No 4.REACH No	%[weight]	Name	Classification according to directive 67/548/EEC [DSD]	Classification according to regulation (EC) No 1272/2008 [CLP]
1.9003-01-4 2.Not Available 3.Not Available 4.Not Available	20-30	acrylic acid homopolymer	R36/37/38, R51/53 ^[1]	Skin Corrosion/Irritation Category 2, Eye Irritation Category 2, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation), Chronic Aquatic Hazard Category 2; H315, H319, H335, H411 ^[1]
1.87-69-4 2.201-766-0 3.Not Available 4.01-2119537204-47-XXXX, 01-2119851173-43-XXXX, 01-2119851174-41-XXXX	10-15	tartaric acid	R36/37/38 ^[1]	Skin Corrosion/Irritation Category 2, Eye Irritation Category 2, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation); H315, H319, H335 [1]

Legena:
1. Classification by vendor; 2. Classification drawn from EC Directive 67/949/EEC - Annex I; 3. Classification drawn from EC Directive 1272/2008 - Annex VI
4. Classification drawn from C&L

SECTION 4 FIRST AID MEASURES

4.1. Description of first aid measures

General	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. If swallowed do NOT induce vomiting. If swallowed do NOT induce vomiting. If swallowed to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.			
Eye Contact	If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. 			
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.			
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Seek medical attention. 			
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice. 			

4.2 Most important symptoms and effects, both acute and delayed See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

5.1. Extinguishing media

Foam is generally ineffective.

5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
5.3. Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. Avoid spraying water onto liquid pools. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire.
Fire/Explosion Hazard	 Combustible. Slight fire hazard when exposed to heat or flame. Heating may cause expansion or decomposition leading to violent rupture of containers. On combustion, may emit toxic furmes of carbon monoxide (CO). May emit acrid smoke. Mists containing combustible materials may be explosive. Combustion products include; carbon dioxide (CO2) other pyrolysis products typical of burning organic materialMay emit poisonous furmes.May emit corrosive furmes.

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

Minor Spills	 Remove all ignition sources. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	 Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. No smoking, naked lights or ignition sources. Increase ventilation. Stop leak if safe to do so. Contain spill with sand, earth or vermiculite. Collect recoverable product into labelled containers for recycling. Absorb remaining product with sand, earth or vermiculite. Collect recoverable product into labelled drums for disposal. Wash area and prevent runoff into drains. If contamination of drains or waterways occurs, advise emergency services.

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

	-
Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT enter confined spaces until atmosphere has been checked. Avoid smoking, naked lights or ignition sources. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with scap and water after handling. Work clothes should be laundered separately. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions. DO NOT allow clothing wet with material to stay in contact with skin
Fire and explosion protection	See section 5
Other information	Store in a dry and well ventilated-area, away from heat and sunlight. Do not store in direct sunlight. Store between 5 and 30 deg C.
7.2. Conditions for safe st	orage, including any incompatibilities

Suitable container Packaging as recommended by manufacturer. Check that containers are clearly labelled and free from leaks Storage incompatibility Avoid strong bases.

7.3. Specific end use(s)

See section 1.2

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

DERIVED NO EFFECT LEVEL (DNEL)
Not Available
PREDICTED NO EFFECT LEVEL (PNEC)
Not Available
OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes	
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	
EMERGENCY LIMITS							
Ingredient	Material name	Material name			TEEL-2	TEEL-3	
acrylic acid homopolymer	Acrylic acid polymers; (A	Acrylic acid polymers; (Acrylic polymer or resin)			83 mg/m3	500 mg/m3	
tartaric acid	Tartaric acid	Tartaric acid			17 mg/m3	100 mg/m3	
Ingredient	Original IDLH	Original IDLH F					
acrylic acid homopolymer	Not Available	Not Available			Not Available		
tartaric acid	Not Available	Not Available			Not Available		

MATERIAL DATA

8.2. Exposure controls

	Engineering controls are used to remove a hazard or place a barrier between the worker and the haza effective in protecting workers and will typically be independent of worker interactions to provide this high The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure. General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required exists, wear approved respirator. Supplied-air type respirator may be required in special circumstance. Provide adequate ventilation in warehouses and enclosed storage areas. Air contaminants generated which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove to the source of the second storage areas.	gh level of protection. he worker and ventilation that stra properly. The design of a ventilation uired in special circumstances. If as. Correct fit is essential to ensu in the workplace possess varying	tegically "adds" and on system must match risk of overexposure re adequate protection.		
	Type of Contaminant:				
	solvent, vapours, degreasing etc., evaporating from tank (in still air).		Air Speed: 0.25-0.5 m/s (50-100 f/min)		
8.2.1. Appropriate	aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, acid fumes, pickling (released at low velocity into zone of active generation)	, welding, spray drift, plating	0.5-1 m/s (100-200 f/min.)		
engineering controls	direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas disc zone of rapid air motion)	charge (active generation into	1-2.5 m/s (200-500 f/min.)		
	grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velo air motion)	ocity into zone of very high rapid	2.5-10 m/s (500-2000 f/min.)		
	Within each range the appropriate value depends on:		<u>.</u>		
	Lower end of the range	Upper end of the range			
	1: Room air currents minimal or favourable to capture	1: Disturbing room air currents			
	2: Contaminants of low toxicity or of nuisance value only.	2: Contaminants of high toxicity			
	3: Intermittent, low production.	3: High production, heavy use			
	4: Large hood or large air mass in motion	4: Small hood-local control only			
	Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extra of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point s distance from the contaminating source. The air velocity at the extraction fan, for example, should be a solvents generated in a tank 2 meters distant from the extraction point. Other mechanical consideration apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when e	should be adjusted, accordingly, a minimum of 1-2 m/s (200-400 f/m ns, producing performance deficit	fter reference to hin) for extraction of s within the extraction		
8.2.2. Personal protection					
Eye and face protection	 Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritar lenses or restrictions on use, should be created for each workplace or task. This should include a chemicals in use and an account of injury experience. Medical and first-aid personnel should be tr readily available. In the event of chemical exposure, begin eye irrigation immediately and remove c at the first signs of eye redness or irritation - lens should be removed in a clean environment only a Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent] 	review of lens absorption and ad rained in their removal and suitabl contact lens as soon as practicable	sorption for the class of le equipment should be e. Lens should be removed		
Eye and face protection Skin protection	 Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritar lenses or restrictions on use, should be created for each workplace or task. This should include a chemicals in use and an account of injury experience. Medical and first-aid personnel should be tr readily available. In the event of chemical exposure, begin eye irrigation immediately and remove c at the first signs of eye redness or irritation - lens should be removed in a clean environment only a 	review of lens absorption and ad rained in their removal and suitabl contact lens as soon as practicable	sorption for the class of le equipment should be e. Lens should be removed		
	 Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritar lenses or restrictions on use, should be created for each workplace or task. This should include a chemicals in use and an account of injury experience. Medical and first-aid personnel should be tr readily available. In the event of chemical exposure, begin eye irrigation immediately and remove c at the first signs of eye redness or irritation - lens should be removed in a clean environment only a Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent] 	review of lens absorption and ad rained in their removal and suitabl contact lens as soon as practicable	sorption for the class of le equipment should be e. Lens should be removed		
Skin protection	 Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritar lenses or restrictions on use, should be created for each workplace or task. This should include a chemicals in use and an account of injury experience. Medical and first-aid personnel should be tr readily available. In the event of chemical exposure, begin eye irrigation immediately and remove c at the first signs of eye redness or irritation - lens should be removed in a clean environment only a Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent] See Hand protection below Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber 	review of lens absorption and ad rained in their removal and suitabl contact lens as soon as practicable	sorption for the class of le equipment should be e. Lens should be remove		
Skin protection Hands/feet protection	 Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritar lenses or restrictions on use, should be created for each workplace or task. This should include a chemicals in use and an account of injury experience. Medical and first-aid personnel should be treadily available. In the event of chemical exposure, begin eye irrigation immediately and remove c at the first signs of eye redness or irritation - lens should be removed in a clean environment only a Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent] See Hand protection below Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber Rubber Gloves 	review of lens absorption and ad rained in their removal and suitabl contact lens as soon as practicable	sorption for the class of le equipment should be e. Lens should be removed		

Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	A-AUS	-	A-PAPR-AUS / Class 1
up to 50 x ES	-	A-AUS / Class 1	-
up to 100 x ES	-	A-2	A-PAPR-2 ^

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

8.2.3. Environmental exposure controls

See section 12

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Colourless liquid with slightly characteristic, mixes with water. Physical state Liauid Relative density (Water = 1) Not Available Partition coefficient Odour Not Available Not Available n-octanol / water Auto-ignition temperature Odour threshold Not Available Not Available (°C) Decomposition pH (as supplied) <2 Not Available temperature Melting point / freezing Not Available Viscosity (cSt) Not Available point (°C) Initial boiling point and Not Available Molecular weight (g/mol) Not Applicable boiling range (°C) Flash point (°C) Not Available Not Available Taste Evaporation rate Not Available **Explosive properties** Not Available Flammability Not Available **Oxidising properties** Not Available Surface Tension (dyn/cm or Upper Explosive Limit (%) Not Available Not Available mN/m) Lower Explosive Limit (%) Not Available Volatile Component (%vol) Not Available Not Available Not Available Vapour pressure (kPa) Gas group Solubility in water (g/L) Miscible pH as a solution (1%) Not Available Vapour density (Air = 1) Not Available VOC g/L Not Available

9.2. Other information

Not Available

SECTION 10 STABILITY AND REACTIVITY

10.1.Reactivity	See section 7.2
10.2.Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhaled	Evidence shows, or practical experience predicts, that the material produces irritation of the respiratory system, in a substantial number of individuals, following inhalation. In contrast to most organs, the lung is able to respond to a chemical insult by first removing or neutralising the irritant and then repairing the damage. The repair process, which initially evolved to protect mammalian lungs from foreign matter and antigens, may however, produce further lung damage resulting in the impairment of gas exchange, the primary function of the lungs. Respiratory tract irritation often results in an inflammatory response involving the recruitment and activation of many cell types, mainly derived from the vascular system.
Ingestion	Accidental indestion of the material may be damaging to the health of the individual.

Skin Contact	Evidence exists, or practical experience predicts, that the material either produces inflammation of the skin in a substantial number of individuals following direct contact, and/or produces significant inflammation when applied to the healthy intact skin of animals, for up to four hours, such inflammation being present twenty-four hours or more after the end of the exposure period. Skin irritation may also be present after prolonged or repeated exposure; this may result in a form of contact dermatitis (nonallergic). The dermatitis is often characterised by skin redness (erythema) and swelling (oedema) which may progress to blistering (vesiculation), scaling and thickening of the epidermis. At the microscopic level there may be intercellular oedema of the spongy layer of the skin (spongiosis) and intracellular oedema of the epidermis. The material may accentuate any pre-existing dermatitis condition Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin proto the use of the material and ensure that any external damage is suitably protected.				
Eye	Evidence exists, or practical experience predicts, that the material may cause e ocular lesions which are present twenty-four hours or more after instillation into Repeated or prolonged eye contact may cause inflammation characterised by tr temporary impairment of vision and/or other transient eye damage/ulceration ma	emporary redness (similar to windburn) of the conjunctiva (conjunctivitis);			
Chronic	Long-term exposure to respiratory irritants may result in disease of the airways Limited evidence suggests that repeated or long-term occupational exposure m				
	TOXICITY	IRRITATION			
Riva Self Cure (liquid)	Not Available	Not Available			
	ΤΟΧΙΟΙΤΥ	IRRITATION			
acrylic acid homopolymer	Oral (rat) LD50: 2500 mg/kgd ^[2]	Nil reported			
	тохісіту	IRRITATION			
tartaric acid	dermal (rat) LD50: >2000 mg/kg ^[1]	Nil reported			
	Oral (rat) LD50: ca.920 mg/kg ^[1]				
Legend:	 Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. extracted from RTECS - Register of Toxic Effect of chemical Substances 	* Value obtained from manufacturer's SDS. Unless otherwise specified data			

ACRYLIC ACID HOMOPOLYMER	Asthma-like symptoms may continue for months or even year reactive airways dysfunction syndrome (RADS) which can or of RADS include the absence of preceding respiratory diseas to hours of a documented exposure to the irritant. A reversible on methacholine challenge testing and the lack of minimal lyr of RADS. RADS (or asthma) following an irritating inhalation irritating substance. Industrial bronchitis, on the other hand, i (often particulate in nature) and is completely reversible after The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limited in a	ccur following exposure to high level- e, in a non-atopic individual, with abr e airflow pattern, on spirometry, with t nphocytic inflammation, without eosi is an infrequent disorder with rates r is a disorder that occurs as result of exposure ceases. The disorder is ch	s of highly irritating compound. Key criteria for the diagnosis upt onset of persistent asthma-like symptoms within minutes he presence of moderate to severe bronchial hyperreactivity nophilia, have also been included in the criteria for diagnosis elated to the concentration of and duration of exposure to the exposure due to high concentrations of irritating substance
TARTARIC ACID	Asthma-like symptoms may continue for months or even year reactive airways dysfunction syndrome (RADS) which can or of RADS include the absence of preceding respiratory diseas to hours of a documented exposure to the irritant. A reversible on methacholine challenge testing and the lack of minimal lyr of RADS. RADS (or asthma) following an irritating inhalation irritating substance. Industrial bronchitis, on the other hand, (often particulate in nature) and is completely reversible after Convulsions, haemorrhage recorded.	ccur following exposure to high level e, in a non-atopic individual, with abr e airflow pattern, on spirometry, with t nphocytic inflammation, without eosi is an infrequent disorder with rates r is a disorder that occurs as result of	s of highly irritating compound. Key criteria for the diagnosis upt onset of persistent asthma-like symptoms within minutes he presence of moderate to severe bronchial hyperreactivity nophilia, have also been included in the criteria for diagnosis elated to the concentration of and duration of exposure to the exposure due to high concentrations of irritating substance
Acute Toxicity	0	Carcinogenicity	0
Skin Irritation/Corrosion	×	Reproductivity	0
Serious Eye Damage/Irritation	*	STOT - Single Exposure	0
Respiratory or Skin sensitisation	0	STOT - Repeated Exposure	0
Mutagenicity	\otimes	Aspiration Hazard	\otimes
			– Data available but does not fill the criteria for classification – Data required to make classification available

S – Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

1

12.1. Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
acrylic acid homopolymer	EC50	384	Crustacea	389.869mg/L	3
acrylic acid homopolymer	EC50	96	Algae or other aquatic plants	8596.446mg/L	3
acrylic acid homopolymer	LC50	96	Fish	1684.686mg/L	3
tartaric acid	EC50	96	Algae or other aquatic plants	434.65983mg/L	3

tartaric acid	LC50	96	Fish	>100mg/L	2	
tartaric acid	EC50	48	Crustacea	93.313mg/L	2	
tartaric acid	EC50	72	Algae or other aquatic plants	51.4043mg/L	2	
tartaric acid	NOEC	72	Algae or other aquatic plants	3.125mg/L	2	
Legend:	Aquatic Toxicity Data (E	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data				

DO NOT discharge into sewer or waterways.

12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
acrylic acid homopolymer	LOW	LOW
tartaric acid	LOW	LOW

12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
acrylic acid homopolymer	LOW (LogKOW = 0.4415)
tartaric acid	LOW (LogKOW = -1.0017)

12.4. Mobility in soil

Ingredient	Mobility
acrylic acid homopolymer	HIGH (KOC = 1.201)
tartaric acid	HIGH (KOC = 1)

12.5.Results of PBT and vPvB assessment

	Р	В	т
Relevant available data	Not Available	Not Available	Not Available
PBT Criteria fulfilled?	Not Available	Not Available	Not Available

12.6. Other adverse effects

No data available

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product / Packaging disposal	 DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Consult State Land Waste Management Authority for disposal. Bury residue in an authorised landfill.
Waste treatment options	Not Available
Sewage disposal options	Not Available

SECTION 14 TRANSPORT INFORMATION

Marine Pollutant

HAZCHEM

Labels Required

NO Not Applicable

Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1.UN number	Not Applicable				
14.2.Packing group	Not Applicable				
14.3.UN proper shipping name	Not Applicable				
14.4.Environmental hazard	Not Applicable				
14.5. Transport hazard class(es)	Class Not Applicable Subrisk Not Applicable				
14.6. Special precautions for user	Hazard identification (Kemler) Classification code Hazard Label	Not Applicable Not Applicable Not Applicable			

Special provisions

Not Applicable

Not Applicable

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable		
14.2. Packing group	Not Applicable		
14.3. UN proper shipping name	Not Applicable		
14.4. Environmental hazard	Not Applicable		
14.5. Transport hazard class(es)	ICAO/IATA Class Not Applicable ICAO / IATA Subrisk Not Applicable ERG Code Not Applicable		
	Special provisions	Not Applicable	
	Cargo Only Packing Instructions	Not Applicable	
	Cargo Only Maximum Qty / Pack	Not Applicable	
14.6. Special precautions for user	Passenger and Cargo Packing Instructions	Not Applicable	
	Passenger and Cargo Maximum Qty / Pack	Not Applicable	
	Passenger and Cargo Limited Quantity Packing Instructions	Not Applicable	
	Passenger and Cargo Limited Maximum Qty / Pack	Not Applicable	

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable
14.2. Packing group	Not Applicable
14.3. UN proper shipping name	Not Applicable
14.4. Environmental hazard	Not Applicable
14.5. Transport hazard class(es)	IMDG Class Not Applicable IMDG Subrisk Not Applicable
14.6. Special precautions for user	EMS Number Not Applicable Special provisions Not Applicable Limited Quantities Not Applicable

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable
14.2. Packing group	Not Applicable
14.3. UN proper shipping name	Not Applicable
14.4. Environmental hazard	Not Applicable
14.5. Transport hazard class(es)	Not Applicable Not Applicable
14.6. Special precautions for user	Classification codeNot ApplicableSpecial provisionsNot ApplicableLimited quantityNot ApplicableEquipment requiredNot ApplicableFire cones numberNot Applicable

Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

ACRYLIC ACID HOMOPOLYMER(9003-01-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU REACH Regulation (EC) No 1907/2006 - Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles European Customs Inventory of Chemical Substances ECICS (English) International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

TARTARIC ACID(87-69-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English) European List of Notified Chemical Substances (ELINCS) European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable -: 67/548/EEC, 1999/45/EC, 98/24/EC, 92/85/EC, 94/33/EC, 91/689/EEC, 1999/13/EC, Commission Regulation (EU) 2015/830, Regulation (EC) No 1272/2008 and their amendments as well as the following British legislation: - The Control of Substances Hazardous to Health Regulations (COSHH) 2002 - COSHH Essentials - The Management of Health and Safety at Work Regulations 1999

15.2. Chemical safety assessment

For further information please look at the Chemical Safety Assessment and Exposure Scenarios prepared by your Supply Chain if available.

ECHA SUMMARY

Ingredient	CAS number	Index No		ECHA Doss	Jossier	
acrylic acid homopolymer	9003-01-4	Not Available N		Not Available	Not Available	
Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)		Pictograms Signal Word Code(s)		Hazard Statement Code(s)	
1	Not Classified		Wng, GHS08, Dgr, GHS05, GHS09, GHS02		H319, H335, H340, H350, H314, H332, H317, H290, H226, H302, H312	
2	Not Classified, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, Muta. 1B, Carc. 1A, Skin Corr. 1B, Aquatic Chronic 3, Skin Corr. 1A, Acute Tox. 4, Met. Corr. 1, Flam. Liq. 3, Aquatic Acute 1		Wng, GHS08, GHS05, GHS0	0,	H319, H335, H340, H350, H314, H332, H317, H290, H226, H302, H312	
2	Skin Corr. 1B, Eye Dam. 1		GHS05, Dgr		H314	

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

Ingredient	CAS number	Index No	ECHA Dossier			
tartaric acid	87-69-4	Not Available	01-2119537204-47-XXXX, 01-2119851173-43-XXXX, 01-2119851174-41-XXXX			
Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)			Pictograms Signal Word Code(s)	Hazard Statement Code(s)	
1	Acute Tox. 4, Skin Irrit. 2, Skin Sens. 1, Eye Irrit. 2, STOT SE 3			GHS07, Wng	H302, H315, H317, H319, H335	
2	Eye Dam. 1, Skin Irrit. 2, Acute Tox. 4, Skin Sens. 1, Eye Irrit. 2, STOT SE 3, Not Classified, Aquatic Chronic 3, Eye Irrit. 2A			GHS05, Dgr, Wng, GHS06	H318, H315, H302, H317, H335	

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Y
Canada - NDSL	N (acrylic acid homopolymer; tartaric acid)
China - IECSC	Y
Europe - EINEC / ELINCS / NLP	N (acrylic acid homopolymer)
Japan - ENCS	Y
Korea - KECI	Y
New Zealand - NZIoC	Y
Philippines - PICCS	Υ
USA - TSCA	Υ
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Full text Risk and Hazard codes

H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H411	Toxic to aquatic life with long lasting effects.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Other information

DSD / DPD label elements



Relevant risk statements are found in section 2.1

Indication(s) of danger	Xi
SAFETY ADVICE	
S02	Keep out of reach of children.
S23	Do not breathe gas/fumes/vapour/spray.
S26	In case of contact with eyes, rinse with plenty of water and contact Doctor or Poisons Information Centre.
S35	This material and its container must be disposed of in a safe way.
\$37	Wear suitable gloves.
S39	Wear eye/face protection.
S40	To clean the floor and all objects contaminated by this material, use water.
S46	If swallowed, seek medical advice immediately and show this container or label.
S56	Dispose of this material and its container at hazardous or special waste collection point.
S64	If swallowed, rinse mouth with water (only if the person is conscious).

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by SDI Limited using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

PC – TWA: Permissible Concentration-Time Weighted Average PC – STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit. IDLH: Immediately Dangerous to Life or Health Concentrations OSF: Odour Safety Factor NOAEL: No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level LODE: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

The information contained in the Safety Data Sheet is based on data considered to be accurate, however, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof.

Other information:

Prepared by: SDI Limited 3-15 Brunsdon Street, Bayswater Victoria, 3153, Australia Phone Number: +61 3 8727 7111 Date of preparation/revision: 23rd September 2015 Department issuing SDS: Research and Development Contact: Technical Director

