radii dus

HIGH POWERED CORDLESS LED CURING LIGHT

KABELLOSES LICHTPOLYMERISATIONSGERÄT MIT LED-TECHNOLOGIE LAMPE À PHOTOPOLYMERISER SANS FIL DE HAUTE PUISSANCE À TECHNOLOGIE LED LAMPADA FOTOPOLIMERIZZATRICE AL LED SENZA FILI UNIDAD LED FOTOCURADO INALAMBRICA DE ALTA POTENCIA FOTOPOLIMERIZADOR LED SEM FIO DE ALTA ENERGIA BEZPRZEWODOWA LAMPA POLIMERYZACYJNA LED O WYSOKIEJ MOCY HIGH POWER DRAADLOOS LED POLYMERISATIELAMP SLADDLÖS LJUSHÄRDNINGSLAMPA MED HÖG EFFEKT STÆRK LEDNINGSFRI LED HÆRDELAMPE ERITTÄIN TEHOKAS LANGATON LED- VALOKOVETTAJA TRÅDLØS HERDELAMPE MED HØY EFFEKT ΥΨΗΛΗΣ ΙΣΧΥΟΣ ΦΩΣ ΦΩΤΟΠΟΛΥΜΕΡΙΣΜΟΥ LED, ΧΩΡΙΣ ΚΑΛΩΔΙΟ YÜKSEK LED GÜÇLÜ KABLOSUZ IŞINLI CİHAZ VYSOCE VÝKONNÁ LED POLYMERAČNÍ LAMPA LAMPA FOTOPOLIMERIZARE CU LED DE MARE PUTERE, FARA FIR МОЩНА БЕЗЖИЧНА LED ПОЛИМЕРИЗИРАЩА ЛАМПА VYSOKOVÝKONNÁ, BEZDRÔTOVÁ LED LAMPA NAGY TELJESÍTMÉNYŰ VEZETÉKNÉLKÜLI POLIMERIZÁCIÓS LÁMPA BEŽIČNA LED POLIMERIZACIJSKA LAMPA VISOKE SNAGE VISOKOENERGETSKA BREZŽIČNA LED POLIMERIZACIJSKA LUČKA 高出力コードレスLED 重合ライト 高光强无线LED光固化机









Contra angle x **S N** so radii plus

not just a powerful LED curing light



Curing? Whitening? Transilluminating? The Radii Plus does it all. The amazing transformation takes place with a simple pull and click of the LED attachment. It's unique, easy to upgrade design, provides unlimited potential making it the best investment you will ever make!

> Basic features

High intensity - 1,500mW/cm²


The higher the intensity, the more the light penetrates to efficiently cure the restorative.

Simple to replace parts

Designed with snap-in or screw in connections, each part of the Radii Plus including the battery is easy to remove and replace.

Recharging

The Radii Plus does not need to be constantly recharged. Its can be used for 1200 ten second cures with just one charge.



Cordless

The Radii Plus is a cordless unit allowing complete freedom of movement and total control.

No noisy fan

Unlike other LED lights, the Radii Plus does not require a fan. It uses heat sink technology to reduce the amount of heat emission.

Infection control

Perfectly fitted disposable barrier sleeves prevent cross contamination.

Built in radiometer

The Radii Plus' built-in radiometer provides a simple test to ensure the functionality of the light.

Lightweight - 177g

The standard Radii Plus' ergonomic and lightweight design minimises user fatigue and maximises comfort.

Rotatable head

The head of the Radii Plus can be easily turned 360° to what ever position required. Upper quadrants are simple to access.

Slimline design

The small tip and slimline design of the Radii Plus allows users to have easy access to the posterior area. This is particularly beneficial when treating children.

> Curing





Contra angle standard LED attachment Right angleOrthodonticstandard LEDLEDattachmentattachment


Ramp mode (soft start)*

You have a choice. The Radii Plus is initially set up without a ramp. When the ramp mode is selected, the Radii Plus' light output power gradually increases during the first 5 seconds. This minimises polymerisation stress

> in the restoration. To switch between modes, hold down the on/off button until audio beeps are heard. A blue light comes on when the ramp mode is activated.

Pulse technology

Using a combination of pulse technology and steady current, the Radii Plus can achieve a higher light output without generating excess heat.



5 year warranty**


The Radii Plus' robust and reliable construction assures your investment is long lasting. The standard Radii Plus unit has a 5 year warranty. The battery section has a 2 year warranty.

Depth of cure

Radii Plus' up to 6mm depth of cure enables more complete curing of the restoration. This ensures interfacial adaptation and longevity of the restoration.

Efficient energy use

The light emitted by the Radii Plus



corresponds to the maximum absorbance of camphorquinone ensuring efficient curing of most light cured dental materials.

Optional tacking tip

Autoclavable tacking tips (1mm and



2mm openings) are available for veneer procedures. Simply place over the lens cap.

> In-office whitening



bleaching LED attachments are designed for use as an adjunct to in-office tooth whitening systems such as Pola Office+.

No UV emissions

Unlike many other bleaching lights on the market, the Radii Plus Bleaching LED attachments do not emit any harmful ultraviolet light.

Unlimited number of uses

Whilst some other companies require the purchase of a special in-office whitening system for use with their light, the Radii Plus is suitable for use with most whitening products.



Full Arch Bleaching LED attachment



Single Tooth Bleaching LED attachment

Lightweight, cordless and compact

When the assembled unit is attached to the bleaching stand you can move it around and position where needed with ease. The entire unit can be safely put away in your cupboard.

Safe heat emissions

Some bleaching lights on the market emit high temperatures that may cause pulpal necrosis. The Bleach Arch LED attachment emits a safe temperature of $37^{\circ}C \pm 2^{\circ}C$ and the single tooth bleaching attachment will heat to $45^{\circ}C \pm 2^{\circ}C$.

> Transillumination

The diagnostic LED attachment lights up those hard to see clinical problems that traditional examination procedures can not. It employs a noninvasive technique and is a

must have for all dental practices.

Early detection

The Radii Plus diagnostic LED attachment emits a safe white light which passes through tooth structure. A healthy tooth has an index of light transmission greater than that of decay or calculus. The diagnostic attachment is a great tool to assist you with early caries management.

Safe

The Radii Plus diagnostic LED attachment is ideal for patients who are not suitable for radiographs.

Adjustable brightness

Depending on your requirements, brightness of the light can be altered from high to low by holding down the on/off button.

Optional diagnostic adapter tip

Should a finer beam of light be required to illuminate sites where access is difficult, an adapter tip is also available. Simply replace the lens cap with this adapter.



Easily identify:

- Cracked tooth syndrome
- Depth of a subgingival fracture
- Subgingival calculus
- Interproximal decay
- Caries, where the radiographic image is questionable
- Caries removal within a new preparation
- Hidden root canal openings
- Non-vital teeth
- Leaking restorations

Fracture line

• Root tips in surgical extractions

Fracture line



Interproximal decay Canal opening



Internal fracture



Photos courtesy of Dr John Comisi DDS, NY, USA

> Summary of LED attachments available

LED attachment type	Indications	Program	Wave length	Warranty
Contra angle standard LED attachment (comes standard in kit)	• Light curing at contra angle similar to a hand piece	 Run time: 1 minute Beeps every 10 seconds 	440~480nm	5 years
Right angle standard LED attachment	• Light curing at right angle	 Run time: 1 minute Beeps every 10 seconds 	440~480nm	5 years
Orthodontic LED attachment	• Light curing specifically for orthodontic use	 Run time: 5 minutes Beeps every 10 seconds 	440~480nm	5 years
Diagnostic LED attachment	• Detection of cracks, fractures, calculus, decay, caries, root canal openings, non-vital teeth, leaking restorations and root tips	• Run time: 5 minutes	400~750nm	5 years
Full arch bleaching LED attachment	 In-office whitening of upper and lower arch Vital and non-vital whitening procedures 	 Run time: 8 minutes Beeps every minute 	440~480nm	2 years
Single tooth bleaching LED attachment	 In-office whitening of one tooth at a time Vital and non-vital whitening procedures. 	 Run time: 30 minute Beeps every 30 seconds 	440~480nm	5 years

- 3 x lens caps	
- 5 x light shields	
Full Arch Bleaching LED attachment kit (for use on Radii Plus units with serial numbers above 3- - Full Arch Bleaching LED attachment - 2 x light shields - 50 x barrier sleeves	560009 -34900)
Diagnostic LED Attachment	560026
(for use on Radii Plus units with serial numbers above 3-	-21745)
Orthodontic (Ortho) LED attachment	560025
Right angle standard LED attachment	560026
Contra angle standard LED attachment	560027
Single tooth Bleaching LED attachment	560025
Accessories and replacement parts:	
Radii Plus replacement lens caps (25 pack)	560005

Radii Plus LED curing light

- 1 x multi-region plug pack - 100 x barrier sleeves

- 1 x handpeice - 1 x charger

Radii Plus replacement lens caps (25 pack)	5600054
Radii Plus barrier sleeves (1000 pack)	5600055
Radii Plus light shield (5 pack)	5600056
Radii Plus replacement battery pack	5600062
Radii Plus control section	5600261
Radii Plus charger and plug pack	5600065
Bleach arch stand	5600095
Bleach arch barrier sleeves (50 pack)	5600093
Bleach arch light shield (5 pack)	5600094
Diagnostic Adapter Tip	5600078
Tacking Tips set (1mm and 2mm openings)	5600079

LED Radiometer

5600202

5600092

5600268

5600028

The Radii Plus unit already comes with a built-in radiometer. A separate unit, the LED Radiometer is also available to provide an instant digital reading. The unit is specially calibrated for any LED curing light.



* Not applicable to orthodontic LED attachment ** Please refer to the chart for the warranty of optional LED attachments



Made in Australia by SDI Limited Bayswater, Victoria 3153 Australia 1 800 337 003 Austria 00800 0225 5734 Brazil 0800 770 1735 France 00800 0225 5734 Germany 0800 1005759 Ireland 00800 0225 5734 Italy 00800 0225 5734 New Zealand 0800 734 034 Spain 00800 0225 5734 United Kingdom 00800 0225 5734 USA & Canada 1 800 228 5166 www.sdi.com.au

CE



Technical data for standard Radii Plus unit. Handpiece (battery, control section and contra angle standard LED attachment)

- wavelength range:

- peak wavelength range:
- RAMP mode elapsed time to full intensity:
- light intensity: - duration of continuous use: NO RAMP mode: RAMP mode:
- total continuous run time with fully charged battery:
- dimensions:
- weight:
- battery:

Multi-region plug pack

- AC input:
- DC output:
- dimensions:
- weight:

Charger

- time to charge battery:
- operating temperature:
- total height with handpiece inserted: - dimensions:
- weight

440 nm – 480 nm 460 nm

5 seconds 1500 mW/cm² (peak)

60 seconds 65 seconds

3 hours 20 minutes 22mm diameter x 243mm long 177g /6.2 ounces 7.4V Lithium Ion - 14Wh

100-240V ~ 1.0A, 50/60 Hz 12V - 1.5A, 15W MAX 38mm high x 45mm wide x 70mm long 104g / 3.65 ounces

60 - 180 minutes 10°C - 40°C 255mm 70mm wide x 40mm high x 130mm long 84g / 3 ounces