

Lithium-ion battery

SDI Limited

Version No: **5.1.1.1**Safety Data Sheet

Issue Date: 18/03/2016 Print Date: 23/03/2016 Initial Date: Not Available L.GHS.CAN.EN

SECTION 1 IDENTIFICATION

D			
Produ	ICT	ıaen	titier

Product name	Lithium-ion battery		
Synonyms	hium-ion (Li-ion) battery pack. Nominal voltage: 7.4V, Rated Capacity: 1550mAh, Wh rating: 11.47 Wh		
Proper shipping name	LITHIUM ION BATTERIES (including lithium ion polymer batteries)		
Other means of identification	Not Available		

Recommended use of the chemical and restrictions on use

Relevant identified uses

Battery to be used with the Radii Plus and Radii Cal Dental Curing Light. Potentially hazardous materials are sealed and contained in equipment. Equipment is packed in strong outer packaging to withstand normal handling and use. Exposure could occur if the equipment has been exposed to high temperatures (>125°C), battery or cells have been opened, crushed, dissembled or burned.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	SDI Limited	SDI Brazil Industria E Comercio Ltda	SDI Germany GmbH		
Address	3-15 Brunsdon Street VIC Bayswater 3153 Australia	Rua Dr. Virgilio de Carvalho Pinto, 612 São Paulo CEP 05415-020 Brazil	Hansestrasse 85 Cologne D-51149 Germany		
Telephone	+61 3 8727 7111 (Business Hours)	+55 11 3092 7100	+49 0 2203 9255 0		
Fax	+61 3 8727 7222	+55 11 3092 7101	+49 0 2203 9255 200		
Website	www.sdi.com.au	www.sdi.com.au	www.sdi.com.au		
Email info@sdi.com.au brasil@sdi.com.au		brasil@sdi.com.au	germany@sdi.com.au		
Registered company name	SDI (North America) Inc.				
Address	1279 Hamilton Parkway IL Itasca 60143 United S	States			
Telephone	+1 630 361 9200 (Business hours)				
Fax	Not Available				
Website	Not Available				
Email	USA.Canada@sdi.com.au				

Emergency phone number

Association / Organisation	SDI Limited	Not Available	Not Available		
Emergency telephone numbers	+61 3 8727 7111	Not Available	Not Available Not Available		
Other emergency telephone numbers	ray.cahill@sdi.com.au	Not Available			
Association / Organisation	Not Available				
Emergency telephone numbers	+61 3 8727 7111				
Other emergency telephone numbers	Not Available				

SECTION 2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture





Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Version No: 5.1.1.1 Page 2 of 17 Issue Date: 18/03/2016 Print Date: 23/03/2016

Lithium-ion battery

CANADIAN WHMIS SYMBOLS

Classification Not Applicable

Label elements

GHS label elements

Not Applicable

SIGNAL WORD

NOT APPLICABLE

Hazard statement(s)

Not Applicable

Hazard(s) not otherwise specified

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
		Battery Cell contains
12190-79-3	<38	lithium cobaltate
21324-40-3	<3	lithium fluorophosphate
96-49-1	<6	ethylene carbonate
Not Available	<8	chain carbonate
7782-42-5	<20	graphite
7439-92-1	<0.1	<u>lead</u>
7439-97-6	<0.0005	mercury (elemental)
		Note: other 25% includes the below meterials:
		Al (Positive Base Film, Cap, Can, Tab)
		Cu (Negative film base)
		Ni (Tab, Terminal)
		Fe (Terminal)
		Resin (PP, PE, PET) (Separator, Plastic, Parts, Insulator)
		Circuit Module contains
7439-92-1	<0.1	<u>lead</u>
7439-97-6		mercury (elemental)
7440-47-3		chromium
7440-43-9		<u>cadmium</u>
		plastic case and Si2O
		Plastic Parts and Paints contains
25971-63-5	>81	bisphenol A/ phosgene polymer
Not Available	<12	flame retardant
Not Available	<7	elastomer

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 FIRST-AID MEASURES

Description of first aid measures

Eye Contact

If this product comes in contact with the eyes:

- ▶ Immediately hold eyelids apart and flush the eye continuously with running water.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.

Version No: **5.1.1.1** Page 3 of 17 Issue Date: 18/03/2016 Print Date: 23/03/2016

Lithium-ion battery

	 Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. If exposure to internal materials due to damaged outer casing:
Skin Contact	If skin or hair contact occurs: ► Flush skin and hair with running water (and soap if available). ► Seek medical attention in event of irritation.
Inhalation	 If furnes or combustion products are inhaled remove from contaminated area. Seek medical attention.
Ingestion	 Not considered a normal route of entry. For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing media

Use dry chemical powder, alcohol-resistant foam, carbon dioxide, or water as a fine spray.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.					
Special protective equipm	Special protective equipment and precautions for fire-fighters					
Fire Fighting	Slight hazard when exposed to heat, flame and oxidisers. Luse fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.					
Fire/Explosion Hazard	 The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. Decomposes on heating and may produce toxic fumes of carbon monoxide (CO). May emit acrid smoke. 					

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Minor Spills	Clean up all spills immediately. Avoid contact with skin and eyes. Place in suitable containers for disposal.
Major Spills	 Clean up all spills immediately. Wear protective clothing, safety glasses, dust mask, gloves. Secure load if safe to do so. Bundle/collect recoverable product. Use dry clean up procedures and avoid generating dust. Vacuum up (consider explosion-proof machines designed to be grounded during storage and use). Water may be used to prevent dusting. Collect remaining material in containers with covers for disposal. Flush spill area with water.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

recautions for safe nationing						
Safe handling	Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS. Avoid physical damage to containers.					
Other information	 Store away from incompatible materials. Keep dry. Store under cover. Protect containers against physical damage. Observe manufacturer's storage and handling recommendations contained within this SDS. Store out of direct sunlight Keep away from heat and naked flames. 					

 Version No: 5.1.1.1
 Page 4 of 17
 Issue Date: 18/03/2016

Lithium-ion battery Print Date: 23/03/2016

Conditions for safe storage, including any incompatibilities

Suitable container	▶ DO NOT repack. Use containers supplied by manufacturer only.
Storage incompatibility	 Avoid strong acids, acid chlorides, acid anhydrides and chloroformates.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances	lithium cobaltate	Cobalt metal, dust and fume (as Co)	0.05 mg/m3 / ppm	0.15 mg/m3 / ppm	Not Available	Not Available
Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits	lithium cobaltate	Cobalt and inorganic compounds, (as Co)	0.02 mg/m3	0.06 mg/m3	Not Available	T20
Canada - Saskatchewan Occupational Health and Safety Regulations - Designated Chemical Substances	lithium cobaltate	Cobalt and cobalt compounds	Not Available	Not Available	Not Available	Not Available
Canada - (English)	lithium cobaltate	Cobalt and inorganic compounds, (as Co)	0.02 mg/m3	0.06 mg/m3	Not Available	Schedule R
Canada - Nova Scotia Occupational Exposure Limits	lithium cobaltate	Cobalt - Inorganic compounds (as Co)	0.02 mg/m3	Not Available	Not Available	TLV Basis: asthma; pulmonary function; myocardial effects. BEI
Canada - Prince Edward Island Occupational Exposure Limits	lithium cobaltate	Cobalt and inorganic compounds, as	0.02 mg/m3	Not Available	Not Available	TLV® Basis: Asthma; pulm tunc; myocardial eff; BEI
Canada - Quebec Permissible Exposure Values for Airborne Contaminants (English)	lithium cobaltate	Cobalt, elemental, and inorganic compounds (as Co)	0.02 mg/m3	Not Available	Not Available	Not Available
Canada - Alberta Occupational Exposure Limits	lithium cobaltate	Cobalt, elemental inorganic compounds, as Co	0.02 mg/m3	Not Available	Not Available	Not Available
Canada - British Columbia Occupational Exposure Limits	lithium cobaltate	Cobalt and inorganic compounds, as Co	0.02 mg/m3	Not Available	Not Available	Not Available
Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits	graphite	Graphite, natural-all forms except graphite fibres (respirable fraction++)	2 mg/m3	4 mg/m3	Not Available	Not Available
Canada - (English)	graphite	Graphite, natural-all forms except graphite fibres (respirable fraction)	2 mg/m3	4 mg/m3	Not Available	Not Available
Canada - Nova Scotia Occupational Exposure Limits	graphite	Graphite - All forms except graphite fibers	2 mg/m3	Not Available	Not Available	TLV Basis: pneumoconiosis
Canada - Prince Edward Island Occupational Exposure Limits	graphite	Graphite (all forms except graphite fibers)	2 mg/m3	Not Available	Not Available	TLV® Basis: Pneumoconiosis
Canada - Quebec Permissible Exposure Values for Airborne Contaminants (English)	graphite	Graphite (all forms except fibers) / Graphite (fibres)	2 mg/m3	Not Available	Not Available	Not Available
Canada - Alberta Occupational Exposure Limits	graphite	Graphite, respirable (all forms except graphite fibres)	2 mg/m3	Not Available	Not Available	Not Available
Canada - British Columbia Occupational Exposure Limits	graphite	Graphite - All forms except graphite fibres, Respirable	2 mg/m3	Not Available	Not Available	Not Available
Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances	lead	Lead, inorganic, fumes and dusts (as Pb)	0.15 mg/m3 / ppm	0.45 mg/m3 / ppm	Not Available	Not Available
Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances	lead	Cadmium, dust and salts (as Cd)	0.05 mg/m3 / ppm	0.15 mg/m3 / ppm	Not Available	Not Available
Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits	lead	Lead and inorganic compounds, (as Pb)	0.05 mg/m3	0.15 mg/m3	Not Available	T20
Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits	lead	Cadmium, and compounds, (as Cd): (total fraction) / Cadmium, and compounds, (as Cd): (respirable fraction++)	0.01 mg/m3 / 0.002 mg/m3	0.03 mg/m3 / 0.006 mg/m3	Not Available	T20
Canada - Saskatchewan Occupational Health and Safety Regulations - Designated Chemical Substances	lead	Lead (+ compounds), inorganics	Not Available	Not Available	Not Available	Not Available

Version No: **5.1.1.1**

Lithium-ion battery

Page **5** of **17** Issue Date: **18/03/2016**Print Date: **23/03/2016**

Canada - Saskatchewan Occupational Health and Safety Regulations - Designated Chemical Substances	lead	Cadmium and cadmium compounds	Not Available	Not Available	Not Available	Not Available
Canada - (English)	lead	Lead and inorganic compounds, (as Pb)	0.05 mg/m3	0.15 mg/m3	Not Available	Schedule R
Canada - (English)	lead	Cadmium, and compounds, (as Cd): (total fraction) / Cadmium, and compounds, (as Cd): (respirable fraction)	0.01 mg/m3 / 0.002 mg/m3	0.03 mg/m3 / 0.006 mg/m3	Not Available	Schedule R
Canada - Nova Scotia Occupational Exposure Limits	lead	Lead - elemental and inorganic compounds (as Pb)	0.05 mg/m3	Not Available	Not Available	TLV Basis: central nervous system impairment; peripheral nervous system impairment; hematologic effects. BEI
Canada - Nova Scotia Occupational Exposure Limits	lead	Cadmium - Metal & compounds (as Cd)	0.01 mg/m3 / 0.002 mg/m3	Not Available	Not Available	TLV Basis: kidney damage
Canada - Prince Edward Island Occupational Exposure Limits	lead	Lead and inorganic compounds, as Pb	0.05 mg/m3	Not Available	Not Available	TLV® Basis: CNS & PNS impair; hematologic eff; BEI
Canada - Prince Edward Island Occupational Exposure Limits	lead	Cadmium and compounds, as Cd	0.002 mg/m3	Not Available	Not Available	TLV® Basis: Kidney dam; BEI
Canada - Quebec Permissible Exposure Values for Airborne Contaminants (English)	lead	Lead, and inorganic compounds, (as Pb)	0.05 mg/m3	Not Available	Not Available	Not Available
Canada - Quebec Permissible Exposure Values for Airborne Contaminants (English)	lead	Cadmium elemental and compounds (as Cd)	0.025 mg/m3	Not Available	Not Available	Not Available
Canada - Alberta Occupational Exposure Limits	lead	Lead elemental & inorganic compounds, as Pb	0.05 mg/m3	Not Available	Not Available	Not Available
Canada - British Columbia Occupational Exposure Limits	lead	Lead - elemental and inorganic compounds, as Pb	0.05 mg/m3	Not Available	Not Available	Not Available
Canada - British Columbia Occupational Exposure Limits	lead	Cadmium and compounds, as Cd / Cadmium and compounds, Respirable, as Cd	0.01 mg/m3 / 0.002 mg/m3	Not Available	Not Available	Not Available
Canada - Ontario Occupational Exposure Limits	lead	*Lead chromate - as Pb (see listing for lead)	0.05 mg/m3	Not Available	Not Available	Not Available
Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances	mercury (elemental)	Mercury (Alkyl compounds) - Skin (as Hg)	0.01 mg/m3 / 0.001 ppm	0.03 mg/m3 / 0.003 ppm	Not Available	Not Available
Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances	mercury (elemental)	Mercury (all forms except Alkyl) (as Hg)	0.05 mg/m3 / ppm	0.15 mg/m3 / ppm	Not Available	Not Available
Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits	mercury (elemental)	Mercury, (as Hg): Inorganic forms, including metallic mercury	0.025 mg/m3	0.075 mg/m3	Not Available	Skin
Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits	mercury (elemental)	Mercury, (as Hg): Alkyl compounds	0.01 mg/m3	0.03 mg/m3	Not Available	Skin
Canada - (English)	mercury (elemental)	Mercury, (as Hg): Inorganic forms, including metallic mercury	0.025 mg/m3	0.075 mg/m3	Not Available	Skin
Canada - (English)	mercury (elemental)	Mercury, (as Hg): Alkyl compounds	0.01 mg/m3	0.03 mg/m3	Not Available	Skin
Canada - Nova Scotia Occupational Exposure Limits	mercury (elemental)	Mercury - Elemental (as Hg)	0.025 mg/m3	Not Available	Not Available	TLV Basis: central nervous system impairment; kidney damage
Canada - Prince Edward Island Occupational Exposure Limits	mercury (elemental)	Silver, and compounds - Metal, dust and fume	0.1 mg/m3	Not Available	Not Available	TLV® Basis: Argyria
Canada - Prince Edward Island Occupational Exposure Limits	mercury (elemental)	Mercury, all forms except alkyl, as Hg - Elemental and inorganic forms	0.025 mg/m3	Not Available	Not Available	TLV® Basis: CNS impair; kidney dam; BEI
Canada - Quebec Permissible Exposure Values for Airborne Contaminants (English)	mercury (elemental)	Mercury , mercury vapor (as Hg)	0.025 mg/m3	Not Available	Not Available	Not Available
Canada - Alberta Occupational Exposure Limits	mercury (elemental)	Mercury, as Hg in Inorganic compounds, including metallic mercury	0.025 mg/m3	Not Available	Not Available	Not Available
Canada - British Columbia Occupational Exposure Limits	mercury (elemental)	Mercury - Elemental, as Hg	0.025 mg/m3	Not Available	Not Available	Not Available
Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances	lead	Lead, inorganic, fumes and dusts (as Pb)	0.15 mg/m3 / ppm	0.45 mg/m3 / ppm	Not Available	Not Available

Page **6** of **17**

Lithium-ion battery

Issue Date: **18/03/2016** Print Date: **23/03/2016**

Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances	lead	Cadmium, dust and salts (as Cd)	0.05 mg/m3 / ppm	0.15 mg/m3 / ppm	Not Available	Not Available
Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits	lead	Lead and inorganic compounds, (as Pb)	0.05 mg/m3	0.15 mg/m3	Not Available	T20
Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits	lead	Cadmium, and compounds, (as Cd): (total fraction) / Cadmium, and compounds, (as Cd): (respirable fraction++)	0.01 mg/m3 / 0.002 mg/m3	0.03 mg/m3 / 0.006 mg/m3	Not Available	T20
Canada - Saskatchewan Occupational Health and Safety Regulations - Designated Chemical Substances	lead	Lead (+ compounds), inorganics	Not Available	Not Available	Not Available	Not Available
Canada - Saskatchewan Occupational Health and Safety Regulations - Designated Chemical Substances	lead	Cadmium and cadmium compounds	Not Available	Not Available	Not Available	Not Available
Canada - (English)	lead	Lead and inorganic compounds, (as Pb)	0.05 mg/m3	0.15 mg/m3	Not Available	Schedule R
Canada - (English)	lead	Cadmium, and compounds, (as Cd): (total fraction) / Cadmium, and compounds, (as Cd): (respirable fraction)	0.01 mg/m3 / 0.002 mg/m3	0.03 mg/m3 / 0.006 mg/m3	Not Available	Schedule R
Canada - Nova Scotia Occupational Exposure Limits	lead	Lead - elemental and inorganic compounds (as Pb)	0.05 mg/m3	Not Available	Not Available	TLV Basis: central nervous system impairment; peripheral nervous system impairment; hematologic effects. BEI
Canada - Nova Scotia Occupational Exposure Limits	lead	Cadmium - Metal & compounds (as Cd)	0.01 mg/m3 / 0.002 mg/m3	Not Available	Not Available	TLV Basis: kidney damage
Canada - Prince Edward Island Occupational Exposure Limits	lead	Lead and inorganic compounds, as Pb	0.05 mg/m3	Not Available	Not Available	TLV® Basis: CNS & PNS impair; hematologic eff; BEI
Canada - Prince Edward Island Occupational Exposure Limits	lead	Cadmium and compounds, as Cd	0.002 mg/m3	Not Available	Not Available	TLV® Basis: Kidney dam; BEI
Canada - Quebec Permissible Exposure Values for Airborne Contaminants (English)	lead	Lead, and inorganic compounds, (as Pb)	0.05 mg/m3	Not Available	Not Available	Not Available
Canada - Quebec Permissible Exposure Values for Airborne Contaminants (English)	lead	Cadmium elemental and compounds (as Cd)	0.025 mg/m3	Not Available	Not Available	Not Available
Canada - Alberta Occupational Exposure Limits	lead	Lead elemental & inorganic compounds, as Pb	0.05 mg/m3	Not Available	Not Available	Not Available
Canada - British Columbia Occupational Exposure Limits	lead	Lead - elemental and inorganic compounds, as Pb	0.05 mg/m3	Not Available	Not Available	Not Available
Canada - British Columbia Occupational Exposure Limits	lead	Cadmium and compounds, as Cd / Cadmium and compounds, Respirable, as Cd	0.01 mg/m3 / 0.002 mg/m3	Not Available	Not Available	Not Available
Canada - Ontario Occupational Exposure Limits	lead	*Lead chromate - as Pb (see listing for lead)	0.05 mg/m3	Not Available	Not Available	Not Available
Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances	mercury (elemental)	Mercury (Alkyl compounds) - Skin (as Hg)	0.01 mg/m3 / 0.001 ppm	0.03 mg/m3 / 0.003 ppm	Not Available	Not Available
Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances	mercury (elemental)	Mercury (all forms except Alkyl) (as Hg)	0.05 mg/m3 / ppm	0.15 mg/m3 / ppm	Not Available	Not Available
Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits	mercury (elemental)	Mercury, (as Hg): Inorganic forms, including metallic mercury	0.025 mg/m3	0.075 mg/m3	Not Available	Skin
Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits	mercury (elemental)	Mercury, (as Hg): Alkyl compounds	0.01 mg/m3	0.03 mg/m3	Not Available	Skin
Canada - (English)	mercury (elemental)	Mercury, (as Hg): Inorganic forms, including metallic mercury	0.025 mg/m3	0.075 mg/m3	Not Available	Skin
Canada - (English)	mercury (elemental)	Mercury, (as Hg): Alkyl compounds	0.01 mg/m3	0.03 mg/m3	Not Available	Skin
Canada - Nova Scotia Occupational Exposure Limits	mercury (elemental)	Mercury - Elemental (as Hg)	0.025 mg/m3	Not Available	Not Available	TLV Basis: central nervous system impairment; kidney damage
Canada - Prince Edward Island Occupational Exposure Limits	mercury (elemental)	Silver, and compounds - Metal, dust and fume	0.1 mg/m3	Not Available	Not Available	TLV® Basis: Argyria

Version No: **5.1.1.1** Page **7** of **17**

Lithium-ion battery

17 Issue Date: 18/03/2016
Print Date: 23/03/2016

Canada - Prince Edward Island Occupational Exposure Limits	mercury (elemental)	Mercury, all forms except alkyl, as Hg - Elemental and inorganic forms	0.025 mg/m3	Not Available	Not Available	TLV® Basis: CNS impair; kidney dam; BEI
Canada - Quebec Permissible Exposure Values for Airborne Contaminants (English)	mercury (elemental)	Mercury , mercury vapor (as Hg)	0.025 mg/m3	Not Available	Not Available	Not Available
Canada - Alberta Occupational Exposure Limits	mercury (elemental)	Mercury, as Hg in Inorganic compounds, including metallic mercury	0.025 mg/m3	Not Available	Not Available	Not Available
Canada - British Columbia Occupational Exposure Limits	mercury (elemental)	Mercury - Elemental, as Hg	0.025 mg/m3	Not Available	Not Available	Not Available
Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances	chromium	Chromium - Metal and insoluble salts	0.1 mg/m3 / ppm	3.0 mg/m3 / ppm	Not Available	Not Available
Canada - Saskatchewan Occupational Health and Safety Regulations - Designated Chemical Substances	chromium	Nickel (+ compounds)	Not Available	Not Available	Not Available	Not Available
Canada - Nova Scotia Occupational Exposure Limits	chromium	Chromium - Metal	0.5 mg/m3	Not Available	Not Available	TLV Basis: upper respiratory tract & skin irritation
Canada - Prince Edward Island Occupational Exposure Limits	chromium	Chromium, and inorganic compounds, as Cr - Metal and Cr III compounds	0.5 mg/m3	Not Available	Not Available	TLV® Basis: URT & skin irr
Canada - Quebec Permissible Exposure Values for Airborne Contaminants (English)	chromium	Chromium (metal)	0.5 mg/m3	Not Available	Not Available	Not Available
Canada - Alberta Occupational Exposure Limits	chromium	Chromium, metal and inorganic compounds, as Cr: Metal and Cr III compounds	0.5 mg/m3	Not Available	Not Available	Not Available
Canada - Alberta Occupational Exposure Limits	chromium	Chromium, metal and inorganic compounds, as Cr: Water-soluble Cr VI compounds	0.05 mg/m3	Not Available	Not Available	Not Available
Canada - Alberta Occupational Exposure Limits	chromium	Chromium, metal and inorganic compounds, as Cr: Insoluble Cr VI compounds	0.01 mg/m3	Not Available	Not Available	Not Available
Canada - British Columbia Occupational Exposure Limits	chromium	Chromium - Metal	0.5 mg/m3	Not Available	Not Available	Not Available
Canada - Ontario Occupational Exposure Limits	chromium	*Lead chromate - as Cr	0.012 mg/m3	Not Available	Not Available	Not Available
Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances	cadmium	Cadmium oxide fume (as Cd) / K Cadmium oxide production (as Cd)	0.05 mg/m3 / (See Table 14) mg/m3 / ppm	mg/m3 / ppm	Not Available	Not Available
Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits	cadmium	Cadmium, and compounds, (as Cd): (total fraction) / Cadmium, and compounds, (as Cd): (respirable fraction++)	0.01 mg/m3 / 0.002 mg/m3	0.03 mg/m3 / 0.006 mg/m3	Not Available	T20
Canada - Saskatchewan Occupational Health and Safety Regulations - Designated Chemical Substances	cadmium	Cadmium and cadmium compounds	Not Available	Not Available	Not Available	Not Available
Canada - (English)	cadmium	Cadmium, and compounds, (as Cd): (total fraction) / Cadmium, and compounds, (as Cd): (respirable fraction)	0.01 mg/m3 / 0.002 mg/m3	0.03 mg/m3 / 0.006 mg/m3	Not Available	Schedule R
Canada - Nova Scotia Occupational Exposure Limits	cadmium	Cadmium - Metal & compounds (as Cd)	0.01 mg/m3 / 0.002 mg/m3	Not Available	Not Available	TLV Basis: kidney damage
Canada - Prince Edward Island Occupational Exposure Limits	cadmium	Cadmium	0.01 mg/m3	Not Available	Not Available	TLV® Basis: Kidney dam; BEI
Canada - Quebec Permissible Exposure Values for Airborne Contaminants (English)	cadmium	Cadmium elemental and compounds (as Cd)	0.025 mg/m3	Not Available	Not Available	Not Available
Canada - Alberta Occupational Exposure Limits	cadmium	Cadmium, elemental	0.01 mg/m3	Not Available	Not Available	Not Available
Canada - British Columbia Occupational Exposure Limits	cadmium	Cadmium and compounds, as Cd / Cadmium and compounds, Respirable, as Cd	0.01 mg/m3 / 0.002 mg/m3	Not Available	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
ethylene carbonate	Glycol carbonate; (Ethylene carbonate)	30 mg/m3	330 mg/m3	2000 mg/m3
graphite	Graphite; (Mineral carbon)	2 mg/m3	2 mg/m3	95 mg/m3
lead	Lead	0.15 mg/m3	120 mg/m3	700 mg/m3

Version No: 5.1.1.1 Page 8 of 17 Issue Date: 18/03/2016 Print Date: 23/03/2016

Lithium-ion battery

mercury (elemental)	Mercury vapor	(0.15 mg/m3	Not Available	Not Available
lead	Lead	(0.15 mg/m3	120 mg/m3	700 mg/m3
mercury (elemental)	Mercury vapor	(0.15 mg/m3	Not Available	Not Available
chromium	Chromium	1	1.5 mg/m3	17 mg/m3	99 mg/m3
cadmium	Cadmium	1	Not Available	Not Available	Not Available
Ingredient	Original IDLH		Revised IDLH		
lithium cobaltate	Not Available		Not Available		
lithium fluorophosphate	Not Available		Not Available		
ethylene carbonate	Not Available		Not Available		
chain carbonate	Not Available		Not Available		
graphite	N.E. mg/m3 / N.E. ppm		1,250 mg/m3		
lead	700 mg/m3		100 mg/m3		
mercury (elemental)	10 mg/m3 / 28 mg/m3		2 mg/m3 / 10 mg/m	13	
lead	700 mg/m3		100 mg/m3		

2 mg/m3 / 10 mg/m3 250 mg/m3

Not Available

Not Available

Not Available

9 mg/m3 / 9 [Unch] mg/m3

MATERIAL DATA

Exposure controls

mercury (elemental)

bisphenol A/ phosgene

chromium

cadmium

polymer flame retardant

elastomer

10 mg/m3 / 28 mg/m3

N.E. mg/m3 / N.E. ppm

50 mg/m3 / 9 mg/m3

Not Available

Not Available

Not Available

-	
Appropriate engineering	None under normal operating conditions.
controls	Provide adequate ventilation in warehouse or closed storage areas.
Personal protection	
	None under normal operating conditions.
Eye and face protection	OTHERWISE:
	► Safety glasses.
Skin protection	See Hand protection below
	None under normal operating conditions.
Hands/feet protection	OTHERWISE:
	▶ Rubber Gloves
Body protection	See Other protection below
	None under normal operating conditions.
	OTHERWISE:
	► Overalls.
Other protection	▶ PVC Apron.
	▶ PVC protective suit may be required if exposure severe.
	► Eyewash unit.
	► Ensure there is ready access to a safety shower.
Thermal hazards	Not Available

Respiratory protection

Type AHG-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	AHG-AUS P2	-	AHG-PAPR-AUS / Class 1 P2
up to 50 x ES	-	AHG-AUS / Class 1 P2	-
up to 100 x ES	-	AHG-2 P2	AHG-PAPR-2 P2 ^

^{^ -} Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Solid articles, insoluble in water. Version No: 5.1.1.1 Page **9** of **17** Issue Date: 18/03/2016 Print Date: 23/03/2016

Lithium-ion battery

Physical state	Divided Solid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Immiscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	Not normally a hazard due to physical form of product. Vapor generated from burning batteries may cause throat irritation.					
Ingestion	Considered an unlikely route of entry in commercial/industrial environments Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual. Poisonings rarely occur after oral administration of manganese salts as they are generally poorly absorbed from the gut (generally less than 4%) and seems to be dependent, in part, on levels of dietary iron and may increase following the consumption of alcohol. A side-effect of oral manganese administration is an increase in losses of calcium in the faeces and a subsequent lowering of calcium blood levels. Absorbed manganese tends to be slowly excreted in the bile. Divalent manganese appears to be 2.5-3 times more toxic than the trivalent form.					
Skin Contact	Not normally a hazard due to physical form of product. [Battery contents cause irritation upon contact with the skin.					
Eye	Not normally a hazard due to physical form of product. Eye contact with the content of an open battery can cause severe eye irritation.					
Chronic	Not normally a hazard due to physical form of product. Since chemicals are contained in a sealed can, there are no hazards. Exposure to battery content causes severe eye irritation, skin irritation and harmful effect if swallowed.					
		1				
Lithium-ion battery	TOXICITY	IRRITATION				
•	Not Available	Not Available				
lithium cobaltate	TOXICITY	IRRITATION				
intilum cobanate	Not Available	Not Available				
	TOXICITY	IRRITATION				
lithium fluorophosphate	Oral (rat) LD50: 50-300 mg/kg ^[1]	Not Available				
	TOXICITY	IRRITATION				
athydana aarkanata	dermal (rat) LD50: >2000 mg/kg ^[1]	[CCInfo]*				
ethylene carbonate	Oral (rat) LD50: >2000 mg/kg ^[1]	Eye (rabbit): 20 mg - mild				
		Skin (rabbit): 660 mg - moderate				

Version No: 5.1.1.1 Page 10 of 17 Issue Date: 18/03/2016 Print Date: 23/03/2016

Lithium-ion battery

	I	
	TOXICITY	IRRITATION
graphite	Inhalation (rat) LC50: >2 mg/L4 h ^[1]	Not Available
	Oral (rat) LD50: >2000 mg/kg** ^[2]	
	TOXICITY	IRRITATION
	dermal (rat) LD50: >2000 mg/kg ^[1]	Nil Reported
lead	Inhalation (rat) LC50: >5.05 mg/l4 h ^[1]	
	Oral (rat) LD50: >2000 mg/kg ^[1]	
	TOXICITY	IRRITATION
mercury (elemental)	Oral (rat) LD50: >9.2 mg/kg ^[1]	(Source: RTECS)
		Nil reported
	TOXICITY	IRRITATION
	dermal (rat) LD50: >2000 mg/kg ^[1]	Nil Reported
lead	Inhalation (rat) LC50: >5.05 mg/l4 h ^[1]	
	Oral (rat) LD50: >2000 mg/kg ^[1]	
	TOXICITY	IRRITATION
mercury (elemental)	Oral (rat) LD50: >9.2 mg/kg ^[1]	(Source: RTECS)
		Nil reported
chromium	TOXICITY	IRRITATION
Cilionium	Not Available	Not Available
	TOXICITY	IRRITATION
	Inhalation (monkey) LC50: 0.03 mg/L15 min ^[1]	Nil reported
	Inhalation (monkey) LC50: 0.0467 mg/L15 min ^[1]	
	Inhalation (monkey) LC50: 0.204 mg/L15 min ^[1]	
	Inhalation (monkey) LC50: 0.23 mg/L15 min ^[1]	
cadmium	Inhalation (monkey) LC50: 0.94 mg/L15 min ^[1]	
	Inhalation (mouse) LC50: >0.00902 mg/L15 min ^[1]	
	Inhalation (rabbit) LC50: >0.0224 mg/L15 min ^[1]	
	Inhalation (rat) LC50: 0.025 mg/L/30m ^[2]	
	Oral (rat) LD50: >63-<259 mg/kg ^[1]	
bisphenol A/ phosgene	TOXICITY	IRRITATION
polymer	Not Available	Not Available
Legend:	Value obtained from Europe ECHA Registered Substances - Acuextracted from RTECS - Register of Toxic Effect of chemical Substances	ute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data ances

LITHIUM COBALTATE

No significant acute toxicological data identified in literature search.

Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a non-atopic individual, with abrupt onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. A reversible airflow pattern, on spirometry, with the presence of moderate to severe bronchial hyperreactivity on methacholine challenge testing and the lack of minimal lymphocytic inflammation, without eosinophilia, have also been included in the criteria for diagnosis of RADS. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to high concentrations of irritating substance (often particulate in nature) and is completely reversible after exposure ceases. The disorder is characterised by dyspnea, cough and mucus production.

ETHYLENE CARBONATE

The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce

The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling epidermis. Histologically there may be intercellular oedema of the spongy layer (spongiosis) and intracellular oedema of the epidermis.

for ethylene carbonate

Mammalian toxicity: Reliable acute toxicity tests are available on ethylene carbonate. Ethylene carbonate is practically nontoxic following acute oral exposure in a test that meets OECD and EPA test guidelines; the LD50 is >5000 mg/kg. The dermal LD50 is >2000 mg/kg, in a test that meets OECD and EPA test

Ethylene carbonate is rapidly metabolized to ethylene glycol. Following gavage administration to rats, ethylene carbonate is rapidly converted into ethylene glycol; the half-life for disappearance of ethylene carbonate from blood was 0.25 hours. As a result, the mammalian toxicity of ethylene carbonate is nearly identical to that of ethylene glycol for endpoints where both have been tested

Ethylene carbonate was mixed in the diet of 26 male and 26 female Crl: CD(SD) rats for 18 months at concentrations of 25,000 ppm for males and females and

Version No: **5.1.1.1** Page **11** of **17** Issue Date: **18/03/2016**

Lithium-ion battery

Print Date: 23/03/2016

50,000 ppm for females; males were also fed 50,000 ppm for 42 weeks, and 40,000 ppm for 16 weeks. Survivors were observed to 24 months. Compound intake (mg/kg/day) was not reported, but is estimated to be approximately 250 and 500 mg/kg/day. No toxic effects were found in females, but increased mortality was seen in males at both dose levels. No high-dose males survived week 60 and only 10 low-dose males survived to week 78. Males had severe nephrotoxicity, characteristic of ethylene glycol toxicity.

The following *in vitro* genotoxicity tests were conducted on ethylene carbonate, without indications of genotoxicity: an Ames mutagenicity assay, an unscheduled DNA synthesis assay using rat hepatocytes, and a cell transformation assay using BALB/3T3 cells. No *in vivo* genotoxicity studies on ethylene carbonate were found; however, ethylene glycol has been tested and was negative in a rat dominant lethal assay.

Gavage administration of ethylene carbonate to pregnant rats days 6-15 of gestation resulted in systemic toxicity at doses of 3000 mg/kg/day, including post-dose salivation. The NOAEL for maternal toxicity was 1500 mg/kg/day. Similar to ethylene glycol, there were increased soft tissue (hydrocephalus, umbilical herniation, gastroschisis, cleft palate, misshapen and compressed stomach) and skeletal malformations at 3000 mg/kg/day, but not at 1500 mg/kg/day. For ethylene glycol:

Ethylene glycol is quickly and extensively absorbed through the gastrointestinal tract. Limited information suggests that it is also absorbed through the respiratory tract; dermal absorption is apparently slow. Following absorption, ethylene glycol is distributed throughout the body according to total body water. In most mammalian species, including humans, ethylene glycol is initially metabolised by alcohol.

dehydrogenase to form glycolaldehyde, which is rapidly converted to glycolic acid and glycoxal by aldehyde oxidase and aldehyde dehydrogenase. These metabolites are oxidised to glycoxylate; glyoxylate may be further metabolised to formic acid, oxalic acid, and glycine. Breakdown of both glycine and formic acid can generate CO2, which is one of the major elimination products of ethylene glycol. In addition to exhaled CO2, ethylene glycol is eliminated in the urine as both the parent compound and glycolic acid. Elimination of ethylene glycol from the plasma in both humans and laboratory animals is rapid after oral exposure; elimination half-lives are in the range of 1-4 hours in most species tested.

Respiratory Effects. Respiratory system involvement occurs 12-24 hours after ingestion of sufficient amounts of ethylene glycol and is considered to be part of a second stage in ethylene glycol poisoning The symptoms include hyperventilation, shallow rapid breathing, and generalized pulmonary edema with calcium oxalate crystals occasionally present in the lung parenchyma. Respiratory system involvement appears to be dose-dependent and occurs concomitantly with cardiovascular changes. Pulmonary infiltrates and other changes compatible with adult respiratory distress syndrome (ARDS) may characterise the second stage of ethylene glycol poisoning Pulmonary oedema can be secondary to cardiac failure, ARDS, or aspiration of gastric contents. Symptoms related to acidosis such as hyperpnea and tachypnea are frequently observed; however, major respiratory morbidities such as pulmonary edema and bronchopneumonia are relatively rare and usually only observed with extreme poisoning (e.g., in only 5 of 36 severely poisoned cases).

Cardiovascular Effects. Cardiovascular system involvement in humans occurs at the same time as respiratory system involvement, during the second phase of oral ethylene glycol poisoning, which is 12-24 hours after acute exposure. The symptoms of cardiac involvement include tachycardia, ventricular gallop and cardiac enlargement. Ingestion of ethylene glycol may also cause hypertension or hypotension, which may progress to cardiogenic shock. Myocarditis has been observed at autopsy in cases of people who died following acute ingestion of ethylene glycol. As in the case of respiratory effects, cardiovascular involvement occurs with ingestion of relatively high doses of ethylene glycol.

Nevertheless, circulatory disturbances are a rare occurrence, having been reported in only 8 of 36 severely poisoned cases. Therefore, it appears that acute exposure to high levels of ethylene glycol can cause serious cardiovascular effects in humans. The effects of a long-term, low-dose exposure are unknown.

Gastrointestinal Effects. Nausea, vomiting with or without blood, pyrosis, and abdominal cramping and pain are common early effects of acute ethylene glycol ingestion. Acute effects of ethylene glycol ingestion in one patient included intermittent diarrhea and abdominal pain, which were attributed to mild colonic ischaemia; severe abdominal pain secondary to colonic stricture and perforation developed 3 months after ingestion, and histology of the resected colon showed birefringent crystals highly suggestive of oxalate deposition.

Musculoskeletal Effects. Reported musculoskeletal effects in cases of acute ethylene glycol poisoning have included diffuse muscle tenderness and myalgias associated with elevated serum creatinine phosphokinase levels, and myoclonic jerks and tetanic contractions associated with hypocalcaemia.

Hepatic Effects. Central hydropic or fatty degeneration, parenchymal necrosis, and calcium oxalate crystals in the liver have been observed at autopsy in cases of people who died following acute ingestion of ethylene glycol.

Renal Effects. Adverse renal effects after ethylene glycol ingestion in humans can be observed during the third stage of ethylene glycol toxicity 24-72 hours after acute exposure. The hallmark of renal toxicity is the presence of birefringent calcium oxalate monohydrate crystals deposited in renal tubules and their presence in urine after ingestion of relatively high amounts of ethylene glycol. Other signs of nephrotoxicity can include tubular cell degeneration and necrosis and tubular interstitial inflammation. If untreated, the degree of renal damage caused by high doses of ethylene glycol progresses and leads to haematuria, proteinuria, decreased renal function, oliguria, anuria, and ultimately renal failure. These changes in the kidney are linked to acute tubular necrosis but normal or near normal renal function can return with adequate supportive therapy.

Metabolic Effects. One of the major adverse effects following acute oral exposure of humans to ethylene glycol involves metabolic changes. These changes occur as early as 12 hours after ethylene glycol exposure. Ethylene glycol intoxication is accompanied by metabolic acidosis which is manifested by decreased pH and bicarbonate content of serum and other bodily fluids caused by accumulation of excess glycolic acid. Other characteristic metabolic effects of ethylene glycol poisoning are increased serum anion gap, increased osmolal gap, and hypocalcaemia. Serum anion gap is calculated from concentrations of sodium, chloride, and bicarbonate, is normally 12-16 mM, and is typically elevated after ethylene glycol ingestion due to increases in unmeasured metabolite anions (mainly glycolate).

Neurological Effects: Adverse neurological reactions are among the first symptoms to appear in humans after ethylene glycol ingestion. These early neurotoxic effects are also the only symptoms attributed to unmetabolised ethylene glycol. Together with metabolic changes, they occur during the period of 30 minutes to 12 hours after exposure and are considered to be part of the first stage in ethylene glycol intoxication. In cases of acute intoxication, in which a large amount of ethylene glycol is ingested over a very short time period, there is a progression of neurological manifestations which, if not treated, may lead to generalized seizures and coma. Ataxia, slurred speech, confusion, and somnolence are common during the initial phase of ethylene glycol intoxication as are irritation, restlessness, and disorientation. Cerebral edema and crystalline deposits of calcium oxalate in the walls of small blood vessels in the brain were found at autopsy in people who died after acute ethylene glycol ingestion.

Effects on cranial nerves appear late (generally 5-20 days post-ingestion), are relatively rare, and according to some investigators constitute a fourth, late cerebral phase in ethylene glycol intoxication. Clinical manifestations of the cranial neuropathy commonly involve lower motor neurons of the facial and bulbar nerves and are reversible over many months.

Reproductive Effects: Reproductive function after intermediate-duration oral exposure to ethylene glycol has been tested in three multi-generation studies (one in rats and two in mice) and several shorter studies (15-20 days in rats and mice). In these studies, effects on fertility, foetal viability, and male reproductive organs were observed in mice, while the only effect in rats was an increase in gestational duration.

Developmental Effects: The developmental toxicity of ethylene glycol has been assessed in several acute-duration studies using mice, rats, and rabbits. Available studies indicate that malformations, especially skeletal malformations occur in both mice and rats exposed during gestation; mice are apparently more sensitive to the developmental effects of ethylene glycol. Other evidence of embyrotoxicity in laboratory animals exposed to ethylene glycol exposure includes reduction in foetal body weight.

Cancer: No studies were located regarding cancer effects in humans or animals after dermal exposure to ethylene glycol.

Genotoxic Effects: Studies in humans have not addressed the genotoxic effects of ethylene glycol. However, available in vivo and in vitro laboratory studies provide consistently negative genotoxicity results for ethylene glycol.

For chrome(III) and other valence states (except hexavalent):

For inhalation exposure, all trivalent and other chromium compounds are treated as particulates, not gases.

The mechanisms of chromium toxicity are very complex, and although many studies on chromium are available, there is a great deal of uncertainty about how chromium exerts its toxic influence. Much more is known about the mechanisms of hexavalent chromium toxicity than trivalent chromium toxicity. There is an abundance of information available on the carcinogenic potential of chromium compounds and on the genotoxicity and mutagenicity of chromium compounds in experimental systems. The consensus from various reviews and agencies is that evidence of carcinogenicity of elemental, divalent, or trivalent chromium compounds is lacking. Epidemiological studies of workers in a number of industries (chromate production, chromate pigment production and use, and chrome plating) conclude that while occupational exposure to hexavalent chromium compounds is associated with an increased risk of respiratory system cancers (primarily bronchogenic and nasal), results from occupational exposure studies to mixtures that were mainly elemental and trivalent (ferrochromium alloy worker) were inconclusive. Studies in leather tanners, who were exposed to trivalent chromium were consistently negative. In addition to the lack of direct evidence of carcinogenicity of trivalent or elemental chromium and its compounds, the genotoxic evidence is overwhelmingly negative.

The lesser potency of trivalent chromium relative to hexavalent chromium is likely related to the higher redox potential of hexavalent chromium and its greater ability to enter cells. enter cells

The general inability of trivalent chromium to traverse membranes and thus be absorbed or reach peripheral tissue in significant amounts is generally accepted

CHROMIUM

Version No: **5.1.1.1** Page **12** of **17** Issue Date: **18/03/2016**

Lithium-ion battery

Print Date: 23/03/2016

as a probable explanation for the overall absence of systemic trivalent chromium toxicity. Elemental and divalent forms of chromium are not able to traverse membranes readily either. This is not to say that elemental, divalent, or trivalent chromium compounds cannot traverse membranes and reach peripheral tissue, the mechanism of absorption is simply less efficient in comparison to absorption of hexavalent chromium compounds. Hexavalent chromium compounds exist as tetrahedral chromate anions, resembling the forms of other natural anions like sulfate and phosphate which are permeable across nonselective membranes. Trivalent chromium forms octahedral complexes which cannot easily enter though these channels, instead being absorbed via passive diffusion and phagocytosis. Although trivalent chromium is less well absorbed than hexavalent chromium, workers exposed to trivalent compounds have had detectable levels of chromium in the urine at the end of a workday. Absorbed chromium is widely distributed throughout the body via the bloodstream, and can reach the foetus. Although there is ample in vivo evidence that hexavalent chromium is efficiently reduced to trivalent chromium in the gastrointestinal tract and can be reduced to the trivalent form by ascorbate and glutathione in the lungs, there is no evidence that trivalent chromium is converted to hexavalent chromium in biological systems. In general, trivalent chromium compounds are cleared rapidly from the blood and more slowly from the tissues. Although not fully characterized, the biologically active trivalent chromium molecule appears to be chromodulin, also referred to as (GTF). Chromodulin is an oligopeptide complex containing four chromium compounds, which do not appear to have insulin-potentiating properties, are capable of being converted into biologically active forms by humans and animals

Chromium can be a potent sensitiser in a small minority of humans, both from dermal and inhalation exposures.

The most sensitive endpoint identified in animal studies of acute exposure to trivalent chromium appears to involve the respiratory system. Specifically, acute exposure to trivalent chromium is associated with impaired lung function and lung damage.

Based on what is known about absorption of chromium in the human body, its potential mechanism of action in cells, and occupational data indicating that valence states other than hexavalent exhibit a relative lack of toxicity the toxicity of elemental and divalent chromium compounds is expected to be similar to or less than common trivalent forms.

No significant acute toxicological data identified in literature search.

The substance is classified by IARC as Group 3:

NOT classifiable as to its carcinogenicity to humans.

bridging alkyl moiety markedly influence the activities

Evidence of carcinogenicity may be inadequate or limited in animal testing.

Tenth Annual Report on Carcinogens: Substance known to be Carcinogenic

[National Toxicology Program: U.S. Dep. of Health and Human Services 2002]
Gastrointestinal tumours, lymphoma, musculoskeletal tumours and tumours at site of application recorded.

No significant acute toxicological data identified in literature search.

The chemical structure of hydroxylated diphenylalkanes or bisphenols consists of two phenolic rings joined together through a bridging carbon. This class of endocrine disruptors that mimic oestrogens is widely used in industry, particularly in plastics

BISPHENOL A/ PHOSGENE POLYMER

Bisphenol A (BPA) and some related compounds exhibit oestrogenic activity in human breast cancer cell line MCF-7, but there were remarkable differences in activity. Several derivatives of BPA exhibited significant thyroid hormonal activity towards rat pituitary cell line GH3, which releases growth hormone in a thyroid hormone-dependent manner. However, BPA and several other derivatives did not show such activity. Results suggest that the 4-hydroxyl group of the A-phenyl ring and the B-phenyl ring of BPA derivatives are required for these hormonal activities, and substituents at the 3,5-positions of the phenyl rings and the

Bisphenols promoted cell proliferation and increased the synthesis and secretion of cell type-specific proteins. When ranked by proliferative potency, the longer the alkyl substituent at the bridging carbon, the lower the concentration needed for maximal cell yield; the most active compound contained two propyl chains at the bridging carbon. Bisphenols with two hydroxyl groups in the para position and an angular configuration are suitable for appropriate hydrogen bonding to the acceptor site of the oestrogen receptor.

LITHIUM FLUOROPHOSPHATE & GRAPHITE

Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a non-atopic individual, with abrupt onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. A reversible airflow pattern, on spirometry, with the presence of moderate to severe bronchial hyperreactivity on methacholine challenge testing and the lack of minimal lymphocytic inflammation, without eosinophilia, have also been included in the criteria for diagnosis of RADS. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to high concentrations of irritating substance (often particulate in nature) and is completely reversible after exposure ceases. The disorder is characterised by dyspnea, cough and mucus production. No significant acute toxicological data identified in literature search.

LEAD

WARNING: Lead is a cumulative poison and has the potential to cause

LEAD

pregnant workers.

abortion and intellectual impairment to unborn children of

MERCURY (ELEMENTAL)

Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a non-atopic individual, with abrupt onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. A reversible airflow pattern, on spirometry, with the presence of moderate to severe bronchial hyperreactivity on methacholine challenge testing and the lack of minimal lymphocytic inflammation, without eosinophilia, have also been included in the criteria for diagnosis of RADS. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to high concentrations of irritating substance (often particulate in nature) and is completely reversible after exposure ceases. The disorder is characterised by dyspnea, cough and mucus production.

MERCURY (ELEMENTAL)

Animal studies have shown that mercury may be a reproductive effector.

Acute Toxicity	0	Carcinogenicity	0
Skin Irritation/Corrosion	0	Reproductivity	0
Serious Eye Damage/Irritation	0	STOT - Single Exposure	0
Respiratory or Skin sensitisation	0	STOT - Repeated Exposure	0
Mutagenicity	0	Aspiration Hazard	0

Legend:

X – Data available but does not fill the criteria for classification

Data required to make classification available

Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
lithium cobaltate	LC50	96	Fish	1.406mg/L	2

Version No: **5.1.1.1** Page **13** of **17** Issue Date: 18/03/2016 Print Date: 23/03/2016

Lithium-ion battery

lithium cobaltate	EC50	48	Crustacea	2.618mg/L	2
ithium cobaltate	EC50	504	Crustacea	0.012mg/L	2
thium cobaltate	EC50	72	Algae or other aquatic plants	0.144mg/L	2
thium cobaltate	NOEC	168	Algae or other aquatic plants	0.0018mg/L	2
thium fluorophosphate	LC50	96	Fish	42mg/L	2
ithium fluorophosphate	EC50	528	Fish	1mg/L	2
thium fluorophosphate	NOEC	528	Fish	0.2mg/L	2
thium fluorophosphate	EC50	48	Crustacea	98mg/L	2
ithium fluorophosphate	EC50	96	Algae or other aquatic plants	43mg/L	2
thylene carbonate	EC50	96	Algae or other aquatic plants	17.388mg/L	3
thylene carbonate	LC50	96	Fish	238.065mg/L	3
raphite	LC50	96	Fish	>100mg/L	2
raphite	EC50	48	Crustacea	>=38.4- <=67.6mg/L	2
		672	Crustacea	-	2
raphite	NOEC			>=0.58- <=10mg/L	
raphite	EC50	72	Algae or other aquatic plants	19mg/L	2
raphite	EC50	72	Algae or other aquatic plants	7.2mg/L	2
ead	BCFD	8	Fish	4.324mg/L	4
ead	NOEC	672	Fish	0.00003mg/L	4
ead	LC50	96	Fish	0.0079mg/L	2
ead	EC50	48	Crustacea	0.029mg/L	2
ead	EC50	48	Algae or other aquatic plants	0.0217mg/L	2
ead	EC50	72	Algae or other aquatic plants	0.0205mg/L	2
nercury (elemental)	BCF	720	Fish	0.001mg/L	4
nercury (elemental)	EC50	72	Algae or other aquatic plants	0.0025mg/L	4
nercury (elemental)	LC50	96	Fish	0.004mg/L	4
nercury (elemental)	EC50	240	Fish	0.0003mg/L	5
nercury (elemental)	EC50	48	Crustacea	0.0003mg/L	2
nercury (elemental)	NOEC	2688	Crustacea	0.00025mg/L	2
ead	BCFD	8	Fish	4.324mg/L	4
ead	NOEC	672	Fish	0.00003mg/L	4
ead	LC50	96	Fish	0.0079mg/L	2
ead	EC50	48	Crustacea	0.029mg/L	2
ead	EC50	48	Algae or other aquatic plants	0.0217mg/L	2
ead	EC50	72	Algae or other aquatic plants	0.0205mg/L	2
nercury (elemental)	BCF	720	Fish	0.001mg/L	4
nercury (elemental)	EC50	72	Algae or other aquatic plants	0.0025mg/L	4
nercury (elemental)	LC50	96	Fish	0.004mg/L	4
nercury (elemental)	EC50	240	Fish	0.0003mg/L	5
nercury (elemental)	EC50	48	Crustacea	0.0003mg/L	2
nercury (elemental)	NOEC	2688	Crustacea	0.00025mg/L	2
hromium	BCF	1440	Algae or other aquatic plants	0.0495mg/L	4
				-	
hromium	EC50	72	Algae or other aquatic plants	0.104mg/L	4
hromium	LC50	96	Fish	13.9mg/L	4
hromium	NOEC	672	Fish	0.00019mg/L	4
hromium 	EC50	48	Crustacea	0.0225mg/L	5
hromium	EC50	48	Crustacea	0.0245mg/L	5
admium	BCF	960	Fish	500mg/L	4
admium	LC50	96	Fish	0.001mg/L	4
admium	NOEC	168	Fish	0.00001821mg/L	4
admium	EC50	336	Crustacea	0.00065mg/L	5
admium	EC50	48	Crustacea	0.0033mg/L	5
admium	EC50	72	Algae or other aquatic plants	0.018mg/L	2

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient Persistence: Water/Soil Persistence: Air

Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Version No: **5.1.1.1** Page **14** of **17**

Lithium-ion battery

Issue Date: **18/03/2016**Print Date: **23/03/2016**

ethylene carbonate HIGH HIGH

Bioaccumulative potential

Ingredient	Bioaccumulation
ethylene carbonate	LOW (LogKOW = -0.3388)

Mobility in soil

Ingredient	Mobility
ethylene carbonate	LOW (KOC = 9.168)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / P	Packaging
	dienneal

Consult State Land Waste Management Authority for disposal. Bury residue in an authorised landfill.

SECTION 14 TRANSPORT INFORMATION

Labels Required



Marine Pollutant

NO

Land transport (TDG)

UN number	3480		
Packing group			
UN proper shipping name	LITHIUM ION BATTERIES (including lithium ion polymer batteries)		
Environmental hazard	Not Applicable		
Transport hazard class(es)	Class 9 Subrisk Not Applicable		
Special precautions for user	Special provisions Explosive Limit and Limited Quantity Index ERAP Index	34, 123, 137, 138 0 Not Applicable	

Air transport (ICAO-IATA / DGR)

UN number	3480			
Packing group				
UN proper shipping name	Lithium ion batteries (including lithium ion polymer batteries)	Lithium ion batteries (including lithium ion polymer batteries)		
Environmental hazard	Not Applicable			
Transport hazard class(es)	ICAO/IATA Class 9 ICAO / IATA Subrisk Not Applicable ERG Code 9F			
Special precautions for user	Special provisions Cargo Only Packing Instructions Cargo Only Maximum Qty / Pack Passenger and Cargo Packing Instructions Passenger and Cargo Maximum Qty / Pack Passenger and Cargo Limited Quantity Packing Instructions Passenger and Cargo Limited Maximum Qty / Pack	A88 A99 A154 A164 A183 See 965 See 965 See 965 See 965 Forbidden Forbidden		

Sea transport (IMDG-Code / GGVSee)

UN number	3480	
Packing group	П	
UN proper shipping name	LITHIUM ION BATTERIES (including lithium ion polymer batteries)	
Environmental hazard	Not Applicable	

Version No: 5.1.1.1 Page 15 of 17 Issue Date: 18/03/2016 Print Date: 23/03/2016

Lithium-ion battery

Transport hazard class(es)	IMDG Class 9 IMDG Subrisk Not Applicable
Special precautions for user	EMS Number F-A, S-I Special provisions 188 230 310 348 376 377 Limited Quantities 0

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products

LITHIUM COBALTATE(12190-79-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Canada - (English)	Canada - Quebec Permissible Exposure Values for Airborne Contaminants (French)
Canada - Alberta Occupational Exposure Limits	Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits
Canada - British Columbia Occupational Exposure Limits	Canada - Saskatchewan Occupational Health and Safety Regulations - Designated Chemical
Canada - Nova Scotia Occupational Exposure Limits	Substances
Canada - Prince Edward Island Occupational Exposure Limits	Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances
Canada - Prince Edward Island Occupational Exposure Limits - Carcinogens	Canada Domestic Substances List (DSL)
	International Agency for Research on Cancer (IARC) - Agents Classified by the IARC

LITHIUM FLUOROPHOSPHATE(21324-40-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Canada Non-Domestic Substances List (NDSL)

ETHYLENE CARBONATE(96-49-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

GRAPHITE(7782-42-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS	
Canada - (English)	Canada - Quebec Permissible Exposure Values for Airborne Contaminants (French)
Canada - Alberta Occupational Exposure Limits	Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits
Canada - British Columbia Occupational Exposure Limits	Canada Categorization decisions for all DSL substances

Canada Domestic Substances List (DSL)

Canada Domestic Substances List (DSL)

Canada - Nova Scotia Occupational Exposure Limits Canada - Prince Edward Island Occupational Exposure Limits

Canada Categorization decisions for all DSL substances

LEAD(7439-92-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Canada - (English)	Canada - Quebec Permissible Exposure Values for Airborne Contaminants (French)
Canada - Alberta Occupational Exposure Limits	Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits
Canada - British Columbia Occupational Exposure Limits	Canada - Saskatchewan Occupational Health and Safety Regulations - Designated Chemical
Canada - Nova Scotia Occupational Exposure Limits	Substances
Canada - Ontario Occupational Exposure Limits	Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances
Canada - Prince Edward Island Occupational Exposure Limits	Canada Categorization decisions for all DSL substances
Canada - Prince Edward Island Occupational Exposure Limits - Carcinogens	Canada Domestic Substances List (DSL)
	International Agency for Research on Cancer (IARC) - Agents Classified by the IARC
	Monographs

MERCURY (ELEMENTAL)(7439-97-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Canada - (English)	Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits
Canada - Alberta Occupational Exposure Limits	Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances
Canada - British Columbia Occupational Exposure Limits	Canada Categorization decisions for all DSL substances
Canada - Nova Scotia Occupational Exposure Limits	Canada Domestic Substances List (DSL)
Canada - Prince Edward Island Occupational Exposure Limits	International Agency for Research on Cancer (IARC) - Agents Classified by the IARC
Canada - Quebec Permissible Exposure Values for Airborne Contaminants (French)	Monographs

LEAD(7439-92-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS	
Canada - (English)	Canada - Quebec Permissible Exposure Values for Airborne Contaminants (French)
Canada - Alberta Occupational Exposure Limits	Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits
Canada - British Columbia Occupational Exposure Limits	Canada - Saskatchewan Occupational Health and Safety Regulations - Designated Chemical
Canada - Nova Scotia Occupational Exposure Limits	Substances
Canada - Ontario Occupational Exposure Limits	Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances
Canada - Prince Edward Island Occupational Exposure Limits	Canada Categorization decisions for all DSL substances
Canada - Prince Edward Island Occupational Exposure Limits - Carcinogens	Canada Domestic Substances List (DSL)
	International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

MERCURY (ELEMENTAL)(7439-97-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Version No: 5.1.1.1 Page 16 of 17 Issue Date: 18/03/2016 Print Date: 23/03/2016

Lithium-ion battery

Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits
Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances
Canada Categorization decisions for all DSL substances
Canada Domestic Substances List (DSL)
International Agency for Research on Cancer (IARC) - Agents Classified by the IARC
Monographs

HROMIUM(7440-47-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

CHROMIUM(7440-47-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS	
Canada - Alberta Occupational Exposure Limits	Canada - Saskatchewan Occupational Health and Safety Regulations - Designated Chemical
Canada - British Columbia Occupational Exposure Limits	Substances
Canada - Nova Scotia Occupational Exposure Limits	Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances
Canada - Ontario Occupational Exposure Limits	Canada Categorization decisions for all DSL substances
Canada - Prince Edward Island Occupational Exposure Limits	Canada Domestic Substances List (DSL)
Canada - Quebec Permissible Exposure Values for Airborne Contaminants (French)	International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

CADMIUM(7440-43-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Canada - (English)	Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits
Canada - Alberta Occupational Exposure Limits	Canada - Saskatchewan Occupational Health and Safety Regulations - Designated Chemical
Canada - British Columbia Occupational Exposure Limits	Substances
Canada - Nova Scotia Occupational Exposure Limits	Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances
Canada - Prince Edward Island Occupational Exposure Limits	Canada Categorization decisions for all DSL substances
Canada - Prince Edward Island Occupational Exposure Limits - Carcinogens	Canada Domestic Substances List (DSL)
Canada - Quebec Permissible Exposure Values for Airborne Contaminants (French)	International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

BISPHENOL A/ PHOSGENE POLYMER(25971-63-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Canada Categorization decision	s for all DSL substances	Canada Domestic Substances List (DSL)
National Inventory	Status	
Australia - AICS	Υ	
Canada - DSL	N (lithium fluorophosphate)	
Canada - NDSL	N (lead; graphite; bisphenol A/ phosgene polymer; ethylene carbonate; mercury (elemental); lithium cobaltate; chromium; cadmium)	
China - IECSC	Υ	
Europe - EINEC / ELINCS / NLP	N (bisphenol A/ phosgene polymer)	
Japan - ENCS	N (graphite; mercury (elemental); chromium; lithium fluorophosphate; cadmium)	
Korea - KECI	Υ	
New Zealand - NZIoC	N (lithium fluorophosphate)	
Philippines - PICCS	N (lithium cobaltate)	
USA - TSCA	Y	
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)	

SECTION 16 OTHER INFORMATION

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by SDI Limited using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL: No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

The information contained in the Safety Data Sheet is based on data considered to be accurate, however, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof.

Other information:

Prepared by: SDI Limited

3-15 Brunsdon Street, Bayswater Victoria, 3153, Australia

Phone Number: +61 3 8727 7111

Version No: 5.1.1.1 Page 17 of 17 Issue Date: 18/03/2016 Print Date: 23/03/2016

Lithium-ion battery

Date of preparation/revision: 23rd September 2015

Department issuing SDS: Research and Development

Contact: Technical Director